The Building Consent Process

Application - Online applications are completed through the Simpli portal. Customers sign up and then login to complete the Form 2 Solid Fuel heaters (note there is

www.simpli.govt.nz

- wetback (if installing a wetback).
- E2 Roof penetrations and flashing details.
- smoke detectors (all rooms must be named
- If you are using an agent to submit the application you will need to give them agents authority either by email or join the application in Simpli as a collaborator.
- A Record of Title or Rates Demand dated no older than 3 months from date of submission of consent.

Installation - Once consent has been issued the Simpli Portal will send you a notification that your approved documents will be available

Inspection and Applying for CCC - Arrange your fire until your installation has passed its final inspection. A Code Compliance Certificate (CCC) will be issued to complete the consent

Outdoor Fireplaces, Pizza Ovens and Barbecues

A permanent outdoor fireplace or oven, such as a woodfired pizza oven or barbecue, can be constructed without a building consent if it:

- Is not attached to a building.
- Is at least 1 metre away from any building or boundary.
- Is not more than 2.5 metres high.
- Does not have a cooking surface bigger than 1 square metre (for an outside oven).
- Smoke from your outside fireplace or oven must not create a nuisance to any other person or property.

Depending on the District Plan and zoning, the location of the fireplace may need to be greater than 1.5 metres from the boundary.

Ruapehu District Council

Private Bag 1001, Taumarunui 3946 59-63 Huia Street. Taumarunui 3920

Contact us 24 hours Taumarunui 07 895 8188 Ohakune 06 385 8364 06 385 4447

Raetihi



Email info@ruapehudc.govt.nz www.ruapehudc.govt.nz Website @ruapehudc Facebook

The information in this brochure is a guide only, and is not a statutory document. November 2023

A guide to:

Fireplaces & Solid Fuel Heating Appliances



Solid Fuel Heaters Burn wood, coal, wood pellets and other similar materials

All solid fuel fire installations require a Building Consent. There are no exemptions, and no "like for like" on fire installations.

Installers

Most installations are completed by a plumber or builder. However there is no requirement to use a trades person for installing a fire. You must however use a qualified plumber to install a wetback.

Wetbacks

Wetbacks must be connected to an open vented storage vessel. Copper piping shall be used between wetback and cylinder. Tempering valve must also be installed.

Smoke Alarms

Please refer to separate information sheet which details the positions where smoke alarms are to be installed for compliance.

Second Hand Fires and Flues

Council does not accept second hand fires and flues for installation in the Ruapehu district unless you can get the fire recertified by the manufacturer. We do not know the cost or timeframe for this process.

Further Information

Wood burners on properties less than 2HA in area must meet the 'clean-air' and 'thermal efficiency' requirements of the new standard. The Ministry of the Environment website has a list of all wood burners that currently meet the standard.

Website: www.mfe.govt.nz Keyword: wood burner

Kilowatt Rating

Want to maximise your heating potential? Look for the highest KW output on a model of fire that will meet your installation clearances.

Use and Maintenance

Solid fuel appliances must be regularly cleaned and checked for soundness. The best time for such a check is in the autumn, well before heating is required. A solid fuel appliance works best with the fuel the fire is designed for. Alternative types of fuel may in some cases be harmful to the appliance.

Legal Status

The information contained in this brochure is a guide only and consequently has no legal status. It is recommended that you discuss any matter you are not sure of with a Council Building Control Officer.

Proper care must be taken with the design and installation of all parts of solid fuel appliances and their hearths and flues.

Building consent is required to install a new or replacement solid fuel heater and manufacturer's recommendations for these appliances must be carefully followed. Any variation must be identified and approved.

The condition and location of adjacent timberwork to the existing chimney needs to be checked when installing a built-in solid fuel appliance into an existing fireplace.

Combustible materials adjacent to these appliances must be protected properly by maintaining clearance or by the use of adequate screen. On no account should clearances to hot surfaces be reduced, protective screens removed, or flue shield air spaces blocked.

Inbuilt Installations - The existing chimney must be structurally sound and swept before installation and all cracks/gaps surrounding the area where the heater is to be located are to be filled with an approved sealant e.g., fire clay, mortar prior to installation. An additional inspection of chimney prior to installation is required.

Fees and Charges

Please visit our website for more information: www.ruapehudc.govt.nz/our-services/building-services-and-information

Building Consent Guide

Please visit our website for more information: www.ruapehudc.govt.nz/our-services/building-services-and-information